

CI  
B  
cont

application in response to requests from the client application, wherein the updated legacy host screen information is based on information formatted for a character terminal of a host legacy system;

establishing a second connection between a monitor application and the server application;

receiving a notification of the availability of updated legacy host screen information via the second connection at the monitor application;

requesting the updated legacy host screen information over the first connection responsive to receiving the notification;

receiving the requested updated legacy host screen information at the client application; and

displaying the received updated host screen information utilizing the client application.

Sub  
CI  
B2

3. (Amended) The method of Claim 2, wherein the notification code is provided with updated legacy host screen information, the method further comprising the steps of: extracting the notification code from the host screen information; and executing the notification code.

4. (Amended) The method of Claim 2 wherein the updated legacy host screen information comprises a Markup Language.

5. (Twice Amended) The method of Claim 1, wherein the updated legacy host screen information comprises terminal emulation information.

Sub  
CI  
B3

7. (Amended) The method of Claim 1, wherein the server application provides updated legacy host screen information to a second client application in response to requests from the second client application, the method further comprising:

identifying the client application that requested the updated legacy host screen information.

8. (Twice Amended) A method of providing updated legacy host screen information to a client application, the client application utilizing a request-response communications model, the method comprising:

establishing a first connection between the client application and a server application, wherein the server application provides updated legacy host screen information to the client application in response to requests from the client application, wherein the updated legacy host screen information is based on information formatted for a character terminal of a legacy host system;

establishing a second connection between a monitoring application and the server application;

receiving updated legacy host screen information from the legacy host system;

transmitting a notification of the availability of updated legacy host screen information to the monitoring application over the second connection responsive to receiving the updated legacy host screen information;

receiving a request for the updated legacy host screen information from the client application over the first connection; and

transmitting the received updated legacy host screen information to the client application over the first connection in response to receiving the request for the updated legacy host screen information from the client application.

10. (Amended) The method of Claim 9, wherein the step of transmitting the received updated legacy host screen information further comprises the step of incorporating the notification code in the updated legacy host screen information transmitted to the client application.

11. (Amended) The method of Claim 8, wherein the server application provides updated legacy host screen information to a second client application in response to requests from the second client application, the method further comprising:

identifying the client application that requested the updated legacy host screen information.

12. (Twice Amended) A system of providing updated legacy host screen information to a client application, the client application utilizing a request-response communications model, the system comprising:

means for establishing a first connection between the client application and a server application, wherein the server application provides updated legacy host screen information to the client application in response to requests from the client application, wherein the updated legacy host screen information is based on information formatted for a character terminal of a legacy host system;

means for establishing a second connection between a monitor application and the server application;

means for receiving a notification of the availability of updated legacy host screen information via the second connection at the monitor application;

means for requesting the updated legacy host screen information over the first connection responsive to receiving the notification;

means for receiving the requested updated legacy host screen information at the client application; and

means for displaying the received updated legacy host screen information utilizing the client application.

14. (Amended) The system of Claim 13, wherein the notification code is provided with updated legacy host screen information, the system further comprising:

means for extracting the notification code from the host screen information; and

means for executing the notification code.

15. (Amended) The system of Claim 13, wherein the updated legacy host screen information comprises a Markup Language.

18. (Amended) The system of Claim 12, wherein the server application provides updated legacy host screen information to a second client application in response to requests from the second client application, the system further comprising:

means for identifying the client application that requested the updated legacy host screen information.

Sub C2  
19. (Twice Amended) A system of providing updated legacy host screen information to a client application, the client application utilizing a request-response communications model, the system comprising:

means for establishing a first connection between the client application and a server application, wherein the server application provides updated legacy host screen information to the client application in response to requests from the client application, wherein the updated legacy host screen information is based on information formatted for a character terminal of a legacy host system;

means for establishing a second connection between a monitoring application and the server application;

means for receiving updated legacy host screen information from the legacy host system;

means for transmitting a notification of the availability of updated legacy host screen information to the monitoring application over the second connection responsive to receiving the updated legacy host screen information;

means for receiving a request for the updated legacy host screen information from the client application over the first connection; and

means for transmitting the received updated legacy host screen information to the client application over the first connection in response to receiving the request for the updated legacy host screen information from the client application.

Sub C2  
21. (Amended) The system of Claim 20, wherein the means for transmitting the received updated legacy host screen information further comprises means for incorporating

the notification code in the updated legacy host screen information transmitted to the client application.

22. (Amended) The system of Claim 19, wherein the server application provides updated legacy host screen information to a second client application in response to requests from the second client application, the system comprising:

CD  
means for identifying the client application that requested the updated legacy host screen information.

23. (Twice Amended) A computer program product that provides updated legacy host screen information to a client application, the client application utilizing a request-response communications model, the computer program product comprising:

23  
cont  
a computer-readable storage medium having computer-readable program code means embodied in said medium, said computer-readable program code means comprising:

computer readable program code means for establishing a first connection between the client application and a server application, wherein the server application provides updated legacy host screen information to the client application in response to requests from the client application, wherein the updated legacy host screen information is based on information formatted for a character terminal of a legacy host system;

computer readable program code means for establishing a second connection between a monitor application and the server application;

computer readable program code means for receiving a notification of the availability of updated legacy host screen information via the second connection at the monitor application;

computer readable program code means for requesting the updated legacy host screen information over the first connection responsive to receiving the notification;

computer readable program code means for receiving the requested updated legacy host screen information at the client application; and

computer readable program code means for displaying the received updated legacy host screen information utilizing the client application.

*Sub C7*  
*BF*  
25. (Amended) The computer program product of Claim 24, wherein the notification code is provided with updated legacy host screen information, the computer program product further comprising:

computer readable program code means for extracting the notification code from the host screen information; and

computer readable program code means for executing the notification code.

26. (Amended) The computer program product of Claim 24, wherein the updated legacy host screen information comprises a Markup Language.

27. (Amended) The computer program product of Claim 23, wherein the updated legacy host screen information comprises terminal emulation information.

*Sub C7*  
*BF*  
29. The computer program product of Claim 23, wherein the server application provides updated legacy host screen information to a second client application in response to requests from the second client application, the computer program product further comprising:

computer readable program code means for identifying the client application that requested the updated legacy host screen information.

30. (Twice Amended) A computer program product of providing updated legacy host screen information to a client application, the client application utilizing a request-response communications model, the computer program product comprising:

a computer-readable storage medium having computer-readable program code means embodied in said medium, said computer-readable program code means comprising:

computer readable program code means for establishing a first connection between the client application and a server application, wherein the server application provides updated legacy host screen information to the client application in response to requests from

the client application, wherein the updated legacy host screen information is based on information formatted for a character terminal display;

computer readable program code means for establishing a second connection between a monitoring application and the server application;

computer readable program code means for receiving updated legacy host screen information from a host system;

computer readable program code means for transmitting a notification of the availability of updated legacy host screen information to the monitoring application over the second connection responsive to receiving the updated legacy host screen information;

computer readable program code means for receiving a request for the updated legacy host screen information from the client application over the first connection; and

computer readable program code means for transmitting the received updated legacy host screen information to the client application over the first connection in response to receiving the request for the updated legacy host screen information from the client application.

32. (Amended) The computer program product of Claim 31, wherein the computer readable program code means for transmitting the received updated legacy host screen information further comprises:

computer readable program code means for incorporating the notification code in the updated legacy host screen information transmitted to the client application.

33. (Amended) The computer program product of Claim 30, wherein the server application provides updated legacy host screen information to a second client application in response to requests from the second client application, the computer program product comprising:

computer readable program code means for identifying the client application that requested the updated legacy host screen information.

34. (Twice Amended) A system for displaying updated legacy host screen information utilizing a web browser, comprising:

- C2  
AD  
cont
- a host server application;
  - a browser application configured to communicate with the host server application;
  - a first connection configured to provide communication between the host server application and the browser application;
  - a notification application operably associated with the browser application that notifies the browser application to request updated legacy host screen information from the host server application for display by the browser application, wherein the updated legacy host screen information is based on information formatted for a character terminal display;
  - and
  - a second connection, established by the notification application, configured to provide communication between the host server application and the notification application.
-